


GNSS ARRIVAL PROCEDURES COWRA, NSW (YCWR)

13 JUN 2024

AWIS 133.625	FIA ML CEN 135.25	CTAF+AFRU 126.7	AFRU+PAL 126.7		Bearings are Magnetic Elevations in FEET AMSL
-----------------	----------------------	--------------------	-------------------	--	--





25 NM MSA

5200

CWR NDB

REFERENCE WAYPOINT CWR NDB







2 NM

10 NM MSA 3600

* NO CIRCLING E
OF RWY 15/33
BEYOND 2NM.

AD ELEV 973

KADOM TO CWR NDB	NDB	MISSED APPROACH: TRACK 253°. CLIMB TO 5200FT.													
															
NM TO CWR NDB	25	15	12	8	5	4	0								
CIRCLING MINIMA	A,B: 1920-2.4		C: 1920-4.0		D: N/A										
NM TO CWR NDB	12.3	12	11	10	9	8	7	6	5	4	3	2			
ALT (3° APCH PATH)	5200	5100	4780	4460	4150	3830	3510	3190	2870	2550	2230	1920			

METUV TO CWR NDB	NDB	MISSED APPROACH: TRACK 030°. CLIMB TO 5200FT.													
															
NM TO CWR NDB	15	9	5	4	0										
CIRCLING MINIMA	A,B: 1850-2.4		C: 1850-4.0		D: N/A										
NM TO CWR NDB	8.1	8	7	6	5	4	3	2.3							
ALT (3° APCH PATH)	3700	3660	3340	3020	2710	2390	2070	1850							

Changes: METUV REPLACES SCAPA.

CWRDG01-179