

GNSS ARRIVAL PROCEDURES GUNNEDAH, NSW (YGDH)

13 JUN 2024

AWIS 133.275	FIA BN CEN 127.1	CTAF+AFRU 127.4	AFRU+PAL 127.4		Bearings are Magnetic Elevations in FEET AMSL
-----------------	---------------------	--------------------	-------------------	--	--

25 NM MSA
4200 GDH NDB 4800
B-185° B-375°

REFERENCE WAYPOINT GDH NDB

GDH 407
* NO CIRCLING SOUTH OF RWY 11/29.

10 NM MSA 4100

AD ELEV 864

SECTOR A

MISSED APPROACH:

TURN RIGHT,
TRACK 300°. CLIMB TO 4200FT.

NM TO GDH NDB	25	15	13	10	9	7	6	5	4	3	2.2	2.1				
CIRCLING MINIMA				A,B: 1770-2.4		C: 1800-4.0		D: N/A								
NM TO GDH NDB	11.7	11	10	9	8	7	6	5	4	3	2.2	2.1				
ALT (3° APCH PATH)	4800	4600	4290	3970	3650	3330	3010	2690	2370	2060	1800	1770				

SECTOR B

MISSED APPROACH:

CLIMB ON TRACK
TO 4800FT.

NM TO GDH NDB	25	15	13			8	6	4	3							
CIRCLING MINIMA				A,B: 2030-2.4		C: 2030-4.0		D: N/A								
NM TO GDH NDB	10.6	10	9	8	7	6	5	4	3	1.9						
ALT (3° APCH PATH)	4800	4610	4290	3980	3660	3340	3020	2700	2380	2030						

SECTOR C

MISSED APPROACH:

TURN AS APPROPRIATE
TRACK 130°. CLIMB TO 4800FT.

NM TO GDH NDB	25	15	14	11	9	7	6	4								
CIRCLING MINIMA				A,B: 1770-2.4		C: 1800-4.0		D: N/A								
NM TO GDH NDB	11.6	11	10	9	8	7	6	5	4	3	2.2	2.1				
ALT (3° APCH PATH)	4800	4600	4280	3960	3650	3330	3010	2690	2370	2050	1800	1770				

Changes: AWIS FREQ, Editorial.

GDHDG01-179