


**STANDARD INSTRUMENT ARRIVAL (STAR)
JANDAKOT THREE WHISKEY ARRIVAL (RNAV)
PERTH/JANDAKOT, WA (YPJT)**

13 JUN 2024

ATIS (AWIS AH) 128.65 281	SMC 124.3	TWR (CTAF+AFRU AH) 118.1	FIA PH CEN 135.25	APP (PH) 123.6 132.95	DEP (PH) 118.7	PAL+AA (AH) 123.9	Bearings are Magnetic Elevations in FEET AMSL
------------------------------	--------------	--------------------------------	----------------------	--------------------------	-------------------	----------------------	--



TRANSITIONS:

- MALUP:** (NON-JET) From MALUP track 277° to DAYLR
- Turn RIGHT, track 280° to WUNGO
 - Then follow ARRIVAL instructions

- ARRIVAL:** JANDAKOT THREE WHISKEY
- From WUNGO turn RIGHT
- Track 286° to HARMN
 - Turn RIGHT, track 015° to PH VOR
 - Expect radar vectors to YPJT

COMMUNICATIONS FAILURE: PROCEDURE IN IMC

- Squawk 7600
- Comply with vertical navigation requirements and maintain minimum safe altitude.
- IF UNDER PILOT NAVIGATION track via the STAR clearance to Jandakot NDB, then in accordance with ERSA, EMERG.
- IF UNDER RADAR VECTOR, maintain vector for 2 minutes, then track to the Jandakot NDB, then in accordance with ERSA, EMERG.

Changes: MALUP REPLACES HAMTN, VALIDITY INDICATOR, Editorial.

PJTSR01-179