

**AERONAUTICAL  
INFORMATION  
CIRCULAR (AIC)****H30/24****Effective: 202407180500 UTC**

AERONAUTICAL INFORMATION SERVICE,  
AIRSERVICES AUSTRALIA, GPO BOX 367,  
CANBERRA ACT 2601

For **DISTRIBUTION** queries, contact:  
Email: [aim.editorial@airservicesaustralia.com](mailto:aim.editorial@airservicesaustralia.com)

For **CONTENT** queries regarding this AIC, contact:  
Email: [brett.fraser@syd.com.au](mailto:brett.fraser@syd.com.au)

# **SYDNEY KINGSFORD-SMITH AIRPORT (YSSY) INSTALL OF ENHANCED TAXIWAY GUIDELINES**

## **1. INTRODUCTION**

- 1.1 Sydney Airports Corporation Ltd. (SACL), as part of Civil Aviation Safety Authority Manual of Standards compliance, will be progressively installing enhanced Runway Holding Position (RHP) markings. In conjunction with RHP marking install, we will also be installing enhanced taxiway guidelines leading to each taxiway/runway intersection, excluding rapid exit taxiways.
- 1.2 The enhanced guidelines are being installed to increase the conspicuity of the approaching runway intersection and reduce the potential of runway incursions by aircraft and vehicles.

## **2. DURATION**

- 2.1 The enhanced markings are expected to be fully installed by November 2026.

## **3. OPERATIONAL INFORMATION**

- 3.1 The work will take place within Stages as set out in the *Airfield Maintenance and Minor Civil Works Method of Working Plan (MOWP)*, YSSY 24/002.
- 3.2 Works will be completed during curfew with runway and taxiway closures communicated via NOTAM.

## 4. PROJECT COORDINATION

- 4.1 For additional information concerning these works, pilots/operators should contact the Airfield Technical & Standards Manager, Brett Fraser during business hours:

Email: [brett.fraser@syd.com.au](mailto:brett.fraser@syd.com.au)

Telephone: +61 (0)2 9667 9888

## 5. CANCELLATION

- 5.1 This AIC will remain current until all works are complete (expected November 2026).

## 6. DISTRIBUTION

- 6.1 Airservices Australia website only.

## Appendix

1. Enhanced Taxi Guidelines

**1. Enhanced Taxi Guidelines**

