AUSTRALIA

AERONAUTICAL INFORMATION CIRCULAR (AIC)

CE, ___

H16/25

Effective: 202503132330 UTC

AERONAUTICAL INFORMATION SERVICE, AIRSERVICES AUSTRALIA, GPO BOX 367, CANBERRA ACT 2601

For DISTRIBUTION queries, contact: Email: aim.editorial@airservicesaustralia.com

For CONTENT queries regarding this AIC, contact:

Email: tony.conte@syd.com.au

SYDNEY KINGSFORD-SMITH AIRPORT (YSSY) INSTALL OF ENHANCED TAXIWAY GUIDELINES

1. INTRODUCTION

- 1.1 This AIC cancels and replaces AIC H30/24 with changes to the header email and in para 4.1.
- 1.2 Sydney Airports Corporation Ltd. (SACL), as part of Civil Aviation Safety Authority Manual of Standards compliance, will be progressively installing enhanced Runway Holding Position (RHP) markings. In conjunction with RHP marking install, we will also be installing enhanced taxiway guidelines leading to each taxiway/runway intersection, excluding rapid exit taxiways.
- 1.3 The enhanced guidelines are being installed to increase the conspicuity of the approaching runway intersection and reduce the potential of runway incursions by aircraft and vehicles.

2. DURATION

2.1 The enhanced markings are expected to be fully installed by November 2026.

3. OPERATIONAL INFORMATION

- 3.1 The work will take place within Stages as set out in the Airfield Maintenance and Minor Civil Works Method of Working Plan (MOWP), YSSY 24/002.
- 3.2 Works will be completed during curfew with runway and taxiway closures communicated via NOTAM.

Published: 14 MAR 2025 Effective: 202503132330 UTC

4. PROJECT COORDINATION

4.1 For additional information concerning these works, pilots/operators should contact the Head of Aviation Safety & Compliance, Anthony Conte during business hours:

Email: tony.conte@syd.com.au

Telephone: +61 419 236 083

CANCELLATION

4.2 This AIC will remain current until all works are complete (expected November 2026).

5. DISTRIBUTION

5.1 Airservices Australia website only.

Appendix

Enhanced Taxi Guidelines

Published: 14 MAR 2025 Effective: 202503132330 UTC

1. Enhanced Taxi Guidelines

