

**AIP SUPPLEMENT
(SUP)****AIRAC****H91/25**

AERONAUTICAL INFORMATION SERVICE,
AIRSERVICES AUSTRALIA, GPO BOX 367,
CANBERRA ACT 2601

Effective: 202506111600 UTC

For **DISTRIBUTION** queries, contact:
Email: aim.editorial@airservicesaustralia.com

For **CONTENT** queries regarding this SUP, contact:
Email: maintenance@globalairspace.com

RICHMOND (NSW) AERODROME (YSRI) NEW DEPARTURE AND APPROACH PROCEDURES

1. INTRODUCTION

- 1.1 This AIP SUP cancels and replaces SUP H81/25 with an updated Appendix 2.
- 1.2 This AIP SUP introduces new Departure and Approach Procedures (DAP) for Richmond (NSW) Aerodrome (YSRI).

2. IMPLEMENTATION

- 2.1 The charts in the appendices become effective 202506111600 UTC.
- 2.2 Waypoints will change in accordance with the next section.
- 2.3 Coding tables are available on request.
- 2.4 The following procedures will be removed from the Australian Defence Force Publication (TERMA) on the AIRAC effective date:
 - RNP RWY 10
 - RNP RWY 28

3. WAYPOINT RENAMING

3.1 New waypoints:

NAME	LAT	LONG	FUNCTION
RI2WD	333702.34S	1503052.64E	Right IAF RNP RWY 10
RI2WE	333134.03S	1502847.20E	Straight IAF RNP RWY 10
RI2WG	332802.98S	1503412.48E	Left IAF RNP RWY 10
RI2WI	333303.11S	1503429.89E	IF RNP RWY 10
RI2WF	333405.32S	1503829.90E	FAF RNP RWY 10
RI2WM	333600.50S	1504555.90E	MAPt RNP RWY 10
RI2WH	332951.93S	1505303.16E	MAHF RNP RWY 10
RI2EA	333600.07S	1505808.76E	Right IAF RNP RWY 28
RI2EB	334144.94S	1505602.59E	Left IAF RNP RWY 28
RI2EC	333437.59S	1505246.94E	IAF RNP RWY 28
RI2EI	333852.51S	1505705.71E	IF RNP RWY 28
RI2EF	333742.08S	1505230.88E	FAF RNP RWY 28
RI2EM	333631.48S	1504756.19E	MAPt RNP RWY 28
RI2EH	332930.21S	1504754.14E	MAHF RNP RWY 28

3.2 Deleted waypoints:

XRHWD, XRHWE, XRHWG, XRHWI, XRHWF, XRHWM, XRHWH, SRIEA, SRIEB, SRIEI, SRIEF, SRIEM, SRIEH.

4. CANCELLATION



4.1 This SUP will be cancelled when it is incorporated into AIP DAP, expected to be in DAP Amendment 184, effective 04 September 2025.

5. DISTRIBUTION

5.1 Airservices Australia website only.

Appendices

- 1. RNP RWY 10
- 2. RNP RWY 28

**APPENDIX 1
TO SUP H91/25**
**RNP RWY 10
RICHMOND, NSW (YSRI)**

NOTES



- MAX IAS:
INITIAL : 210KTS
MAP UNTIL RI2WH : 210KTS
- HOLDING NOT CONTAINED WITHIN MIL RSTD AREAS WHEN ACT
- DURING CTAF HRS ENSURE AWY CLR TO RE-ENTER CTA IS REC PRIOR TO COMMENCING THIS APCH

CATEGORY	A	B	C	D
LNAV	600 (533 - 2.6)			
CIRCLING	800 (733 - 2.4)		1090 (1023 - 4.0)	1160 (1093 - 5.0)
ALTERNATE	(1233 - 4.4)		(1523 - 6.0)	(1593 - 7.0)

Changes: NEW PROCEDURE

SRIGN01-SUP



APPENDIX 2
TO SUP H91/25
RNP RWY 28
RICHMOND, NSW (YSRI)
**NOTES**

- MAX IAS:
HOLDING : 230KT
INITIAL : 180KT
MAP UNTIL R12EH : 195KT

CATEGORY	A	B	C	D
LNAV	580 (527 - 2.0)			
CIRCLING	800 (733 - 2.4)	1090 (1023 - 4.0)	1160 (1093 - 5.0)	
ALTERNATE	(1233 - 4.4)	(1523 - 6.0)	(1593 - 7.0)	

Changes: NEW PROCEDURE

SRIGN02-SUP

