


GNSS ARRIVAL PROCEDURES COWRA, NSW (YCWR)


13 JUN 2024


AWIS 133.625	FIA ML CEN 135.25	CTAF+AFRU 126.7	AFRU+PAL 126.7		Bearings are Magnetic Elevations in FEET AMSL
-----------------	----------------------	--------------------	-------------------	--	--



25 NM MSA
5200
CWR NDB

REFERENCE WAYPOINT CWR NDB







2 NM MSA

10 NM MSA 3600

* NO CIRCLING E
OF RWY 15/33
BEYOND 2NM.

AD ELEV 973

KADOM TO CWR NDB		<p>MISSED APPROACH: TRACK 253°. CLIMB TO 5200FT.</p>
NM TO CWR NDB	25 15 12 8 5 4 0	
CIRCLING MINIMA	A,B: 1920-2.4 C: 1920-4.0 D: N/A	
NM TO CWR NDB	12.3 12 11 10 9 8 7 6 5 4 3 2	
ALT (3° APCH PATH)	5200 5100 4780 4460 4150 3830 3510 3190 2870 2550 2230 1920	

METUV TO CWR NDB		<p>MISSED APPROACH: TRACK 030°. CLIMB TO 5200FT.</p>
NM TO CWR NDB	15 9 5 4 0	
CIRCLING MINIMA	A,B: 1850-2.4 C: 1850-4.0 D: N/A	
NM TO CWR NDB	8.1 8 7 6 5 4 3 2.3	
ALT (3° APCH PATH)	3700 3660 3340 3020 2710 2390 2070 1850	

Changes: METUV REPLACES SCAPA.

CWRDG01-179