



National Information Circular

NIC 08/2024

Subject	Change notification – 28 November 2024 AIRAC			
Valid from	18 November 2024	Valid to	31 January 2025	
Units Affected	All units			
Authorised by	ATM Standards Lead			
Background	The Manual of Air Traffic Services (MATS) version 70 and the Aeronautical Information Publication (AIP Book) AL 121 will become effective on 28 November 2024.			
For controller information	The change summaries for MATS and AIP can be found in the published documents and are reproduced below for reference. Not all minor and editorial changes are included.			
	Additionally, an AIRAC briefing document can be found in the 'AIRAC Education' document library on the ATS Integrity team site (here). This document provides an indication of what has changed and the reason(s) for the change where appropriate. Some changes to the AIP are initiated outside Airservices. These changes are described in the change summary in the published document but are not included in the AIRAC briefing document.			
	It is a requirement for all ATS staff to be fully familiar with all changes relevant to their duties.			

OFFICIAL

MATS Changes

Title	Description of change	
Flight plan definitions	Align the flight plan definitions with ICAO.	
update	Sections affected: 1.1.1 and 1.2.1	
VSS to VSS-M	Creates definitions and discrete rule sets for VSS and VSS-M.	
	Sections affected: 1.1.1, 1.2.1 and 12.9.5.	
GRF v2 amendments	A number of small amendments to GRF related procedures are desired for completeness.	
	Sections affected: 3.1.1, 7.1.7, 9.1.2, 12.2.3	
Alert phase update	Update alert phase circumstances to align with Annex 11.	36692
	Section affected: 4.2.2	
Removal of 4.3.5	Removal of 4.3.5 due to duplication in FIHA.	37117
	Section affected: 4.3.5	
Automated Balloon Releases	Amends the requirements for meteorological balloons near aerodromes to permit automatic meteorological balloon launching systems at some locations.	37758
	Section affected: 5.1.1	
RPAS shielded operations above 400 FT	Extends the applicability of the shielded operations above the OLS RPAS segregation method to operations above 400 FT.	37624
	Sections affected: 5.3.1, 5.3.3 and 5.3.4	
ATIS Designator Coordination	Include the requirement for procedural Towers to coordinate the ATIS designator to en route.	
	Section affected: 6.3.4	
Vectoring	Rationalises the location and circumstances in which aircraft may be vectored.	35503
	Section affected: 9.7.10	
Runway nomination conditions	Better aligns the runway conditions in which a particular runway may not be nominated for given wind conditions with the Part 172 MoS.	37102
	Section affected: 12.2.1	
Removal of military	Removal of 12.5.6.3 due to duplication in FIHA.	
aerodrome sequence instructions	Section affected: 12.5.6	
Vehicle clearance and readback requirements	Include vehicle clearance issue and readback requirements. Section affected: 12.7.1	

OFFICIAL

AIP Changes

Where possible, references to noteworthy amendments have been included (references may not indicate all amendments relating to that topic). Minor editorial and format changes are not shown in this summary.

Definitions and Abbreviations. Removed and added additional items - GEN 2.2.

Communication and Navigation Services. Updating the location of the National Communications Centre. *GEN 3.4, Appendix 1*

Holding Approach and Departure Procedures. Updating the visual approach requirements that apply to IFR flights, VFR flights and what applies to both. *ENR 1.5 para 1.14, 1.15. 1.16 and 1.23*.

Military Airspace. Amberley and Williamtown restricted airspace updated in *ENR 5.2 - para 2.3* and 2.9.

Other Activities of Dangerous Nature and Potential Hazards. Existing information moved from ERSA, Special Procedures, Fly Neighbourly Advice GEN-SP FN22 and FN24, around bushfires and warships. Volcanic ash hazards included with reference to newly created *AC 91-33. ENR 5.3*.

Balloon Operations. Reflect new requirements as stated in *Part 131 MOS* and including statement referencing *AC 131-02 and AIP SUP H118/21 - ENR 5.5, para 3.3.1 and 3.3.2*.